

JOURNAL OF  
**Neurobiology**

**Volume Contents**

*Vol. 43, No. 1, April 2000*

**Stage-Specific Effects of Bone Morphogenetic Proteins on the Oligodendrocyte Lineage / 1**

*Judith B. Grinspan, Eric Edell, David F. Carpio, Jacqueline S. Beesley, LeaAnn Lavy, David Pleasure, and Jeffrey A. Golden*

**Spatial and Temporal Changes in Natural and Target Deprivation-Induced Cell Death in the Mouse Inferior Olive / 18**

*Teresa Chu, Heidi Hullinger, Karl Schilling, and John Oberdick*

**Progenitor Cells with the Capacity to Differentiate into Sympathetic-like Neurons Are Transiently Detected in Mammalian Embryonic Dorsal Root Ganglia / 31**

*Nancy Paulsen and Steven G. Matsumoto*

**Cutaneous Overexpression of Neurotrophin-3 (NT3) Selectively Restores Sensory Innervation In NT3 Gene Knockout Mice / 40**

*Robin F. Krimm, Brian M. Davis, and Kathryn M. Albers*

**Cell Turnover in the Vomeronasal Epithelium: Evidence for Differential Migration and Maturation of Subclasses of Vomeronasal Neurons in the Adult Opossum / 50**

*Alino Martínez-Marcos, Isabel Ubeda-Bañón, and Mimi Halpern*

**Estrogen-Regulated Developmental Neuronal Apoptosis Is Determined by Estrogen Receptor Subtype and the Fas/Fas Ligand System / 64**

*Jon Nilsen, Gil Mor, and Frederick Naftolin*

**The Relationship Between Rates of HVc Neuron Addition and Vocal Plasticity in Adult Songbirds / 79**

*Luisa L. Scott, Ernest J. Nordeen, and Kathy W. Nordeen*

**Synaptic Ultrastructure in Nerve Terminals of *Drosophila* Larvae Overexpressing the Learning Gene *dunce* / 89**

*Alexander J. Shayan and Harold L. Atwood*

**Neuron/Target Matching Between Chorda Tympani Neurons and Taste Buds During Postnatal Rat Development / 98**

*Robin F. Krimm and David L. Hill*

**Cover:** Frontal section of the vomeronasal sensory epithelium of an adult opossum (*Monodelphis domestica*) showing by double-immunofluorescence that 3 days after administration of bromodeoxyuridine some basal and supporting cells have incorporated the thymidine analog (green). Similarly, a newly generated mature neuron can be observed in the upper sensory cell layer whose cells express olfactory marker protein (red). See the article by A. Martinez-Marcos, I. Ubeda-Banon, and M. Halpern, pages 50–63 of this issue.

## **Vol. 43, No. 2, May 2000**

**The Fight and Flight Responses of Crickets Depleted of Biogenic Amines / 107**  
*Paul A. Stevenson, Hans A. Hofmann, Korinna Schoch, and Klaus Schildberger*

**Synapse Formation Proceeds Independently of Dendritic Elongation in Cultured Hippocampal Neurons / 121**  
*Andrea Holgado and Adriana Ferreira*

**Colocalization of Doublecortin with the Microtubules: An Ex Vivo Colocalization Study of Mutant Doublecortin / 132**  
*Koh-ichiro Yoshiura, Yasumasa Noda, Akira Kinoshita, and Norio Niikawa*

**Matrix Metalloproteinase-3 Removes Agrin from Synaptic Basal Lamina / 140**  
*Michael VanSaun and Michael J. Werle*

**Cloning and Neuronal Expression of a Type III Newt Neuregulin and Rescue of Denervated, Nerve-Dependent Newt Limb Blastemas by rhGGF2 / 150**  
*Lisheng Wang, Mark A. Marchionni, and Roy A. Tassava*

**Glutamate-induced Changes in the Pattern of Hippocampal Dendrite Outgrowth: A Role for Calcium-Dependent Pathways and the Microtubule Cytoskeleton / 159**  
*Mark T. Wilson, William S. Kisaalita, and Charles H. Keith*

**Gal-NCAM is a Differentially Expressed Marker for Mature Sensory Neurons in the Rat Olfactory System / 173**  
*Laurent Pays and Gary Schwarting*

**Identified Motor Terminals in *Drosophila* Larvae Show Distinct Differences in Morphology and Physiology / 186**  
*Gregory A. Lnenicka and Haig Keshishian*

**Neurturin is a Neurotrophic Factor for Penile Parasympathetic Neurons in Adult Rat / 198**  
*Antti Laurikainen, Jukka O. Hiltunen, Judith Thomas-Crusells, Sampsa Vanhatalo, Urmas Arumäe, Matti S. Airaksinen, Erik Klinge, and Mart Saarma*

**Cover:** Recovery of the MT organization from exposure to 20 “micro” M nocodazole for 2 hrs. DCX are linked to C-terminus of GFP and visualized. Five minutes after releasing from nocodazole treatment, the DCX-expressing cell reorganizes the fine MT network almost completely. Note that GFP signals are strong around the nucleus and at peripheral margin of the cell. See the article by Koh-ichiro Yoshiura, Yasumasa Noda, Akira Kinoshita, and Norio Niikawa, pages 132–139 of this issue.

**Vol. 43, No. 3, June 5, 2000**

**Disruption of Synaptic Transmission or Clock-Gene-Product Oscillations in Circadian Pacemaker Cells of *Drosophila* Cause Abnormal Behavioral Rhythms / 207**

*Maki Kaneko, Jae H. Park, Yuzhong Cheng, Paul E. Hardin, and Jeffrey C. Hall*

**Apoptosis during Sexual Differentiation of the Bed Nucleus of the Stria Terminalis in the Rat Brain / 234**

*Wilson C. J. Chung, Dick F. Swaab, and Geert J. De Vries*

**Effects of Captivity and Testosterone on the Volumes of Four Brain Regions in the Dark-Eyed Junco (*Junco hyemalis*) / 244**

*T. V. Smulders, J. M. Casto, V. Nolan, Jr., E. D. Ketterson, and T. J. DeVoogd*

**Seasonal Expression of Androgen Receptors, Estrogen Receptors, and Aromatase in the Canary Brain in Relation to Circulating Androgens and Estrogens / 254**

*Leonida Fusani, Thomas Van't Hof, John B. Hutchison, and Manfred Gahr*

**Estradiol and Progesterone Regulate the Expression of Insulin-like Growth Factor-I Receptor and Insulin-like Growth Factor Binding Protein-2 in the Hypothalamus of Adult Female Rats / 269**

*G. P. Cardona-Gómez, J. A. Chowen, and L. M. Garcia-Segura*

**The Inositol 1,4,5-Trisphosphate Receptor Is Required for Maintenance of Olfactory Adaptation in *Drosophila* Antennae / 282**

*Monika Deshpande, K. Venkatesh, Veronica Rodrigues, and Gaiti Hasan*

**Differential Effects of the Trophic Factors BDNF, NT-4, GDNF, and IGF-I on the Isthmo-Optic Nucleus in Chick Embryos / 289**

*Timothy A. Janiga, Howard B. Rind, and Christopher S. von Bartheld*

**Chemical and Thermal Stimuli Have Short-lived Effects on the Retzius Cell in the Medicinal Leech / 304**

*Xian Zhang, Richard J. A. Wilson, Yuxing Li, and Anna L. Kleinhaus*

**Cover:** Colocalization of insulin-like growth factor-I receptor and insulin-like growth factor binding protein 2 in tanycytes in the hypothalamic arcuate nucleus of an ovariectomized rat. Ovarian hormones may regulate insulin-like growth factor-I accumulation in the hypothalamus by the modulation of the expression of these two proteins in tanycytes. See article by G. P. Cardona-Gómez, J. A. Chowen, and L. M. Garcia-Segura, pages 269–281 of this issue.

**Vol. 43, No. 4, June 15, 2000**

**Actin Filament Disruption Blocks Cerebellar Granule Neurons at the Unipolar Stage of Differentiation *in Vitro* / 313**

*Jonathan F. Zmuda and Rodolfo J. Rivas*

**Development of Utricular Otoliths, but not Saccular Otoliths, Is Necessary for Vestibular Function and Survival in Zebrafish / 329**

*Bruce B. Riley and Stephen J. Moorman*

**Synaptic Localization and Axonal Targeting of Agrin Secreted by Ventral Spinal Cord Neurons in Culture / 338**

*Jianxin Ma, Brian Lugo, Sanjiv Shah, Earl W. Godfrey, and Mathew P. Daniels*

**Cdc42 Stimulates Neurite Outgrowth and Formation of Growth Cone Filopodia and Lamellipodia / 352**

*Michael D. Brown, Brandon J. Cornejo, Thomas B. Kuhn, and James R. Bamberg*

**Disruption of Peripheral Target Contact Influences the Development of Identified Central Dendritic Branches in a Leech Motor Neuron *in Vivo* / 365**

*Lisa A. Johnson, William B. Kristan, John Jellies, and Kathleen A. French*

**Rhythmic Coupling Among Cells in the Suprachiasmatic Nucleus / 379**

*Christopher S. Colwell*

**Involvement of L1.1 in Memory Consolidation after Active Avoidance Conditioning in Zebrafish / 389**

*Gabriele Pradel, Rupert Schmidt, and Melitta Schachner*

**Spatial, Temporal, and Sexually Dimorphic Expression Patterns of the *fruitless* Gene in the *Drosophila* Central Nervous System / 404**

*Gyunghee Lee, Margit Foss, Stephen F. Goodwin, Troy Carlo, Barbara J. Taylor, and Jeffrey C. Hall*

**Author Index to Volume 43 / 429**

**Subject Index to Volume 43 / 431**

**Volume Contents / I**

**Cover:** Agrin secreted onto the substrate by a rat motor neuron in culture for 8 days. Strong immunofluorescent labeling along axons but not dendrites suggests targeted secretion of agrin. See Ma et al. pages 338–351 of this issue.

